

PLOKILIIM

PLOCK ADHESIVE

For laying and bonding light concrete blocks

Used indoors and outdoors.

In the winter period, it is produced with antifreeze additives for use in temperatures up to -10° C

USED

- For laying and bonding and other similar blocks of light concrete.

PREPARATIONS

- Pour necessary amount of powder into mixer.
- Add water 25-27% of the mix weight (6.25 – 6.75 litres per 25 kg).
- Stir mechanically or manually until completely wet.
- Prepared mix is usable for 4 hours.

APPLYING

- The best way to apply the adhesive to blocks is to use special mix spreading equipment.
- Block adhesive can successfully be applied also with a toothed trowel or steel float.

RESTRICTIONS

- Adding water to the mix that has started hardening in the mixer does not restore initial qualities of the mix.
- In case of contact with eyes or mucous membrane wash with plenty of clean water.

STORING

- Bagged mix is to be stored in dry conditions.
- Storage time of mix powder in dry conditions is one year.

CONSUMPTION

- Depends on the width of blocks and the layer thickness.