

MATERIAL SAFETY DATA SHEET


Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance) appropriately labelled according to EC Regulation No 1272/2008 (CLP).

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1 Product identifier	
Trade name	
Naks-1	Tellisiler SILER TT
Naks-2	UniTherm 3
Naks-3	Mortar-stone adhesive
Naks-5	
Masonry mortar NAKS M100	Tordex-1
	Lime-cement mixture
Masonry mortar NAKS M200	
Non-shrink concrete NAKS JC70	Plock adhesive
Non-shrink Concrete NAKS JC55	
Insulating light plaster SILER LIGHT	
Non-shrink concrete NAKS M300	
Fibe-concrete NAKS FB	
Concrete C30	
Concrete C40	
Product type: cement-lime based construction material	
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Recommended use:	construction
1.3. Details of the supplier of the safety data sheet	
Manufacturer:	Uninaks AS 1 Valuste Street 90303 Lihula Telephone: +372 656 5744 Fax: +372 656 5744
E-mail:	uninaks@uninaks.ee
Date:	01.02.2024
Version:	1.1
1.4. Emergency telephone number	
Telephone number, name and address:	Poisoning Information Centre (http://www.16662.ee) Tel: 16662. Available for calling 24 hours a day from 09:00 AM on Monday till 09:00 AM on Saturday for general public and health care professionals. The centre is closed on weekends. For calls from abroad: +372 79 43 794.

Hazard statements	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Precautionary statements	
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3. Other hazards	
PBT/vPvB	Not relevant

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS				
3.2. Mixtures				
The product contains cement and quartz sand (inhalable quartz < 0.1%). The product contains chromium(VI) that remains below the permitted limit of 2 mg/kg in unopened packages within 12 months.				
Hazardous ingredients				
CAS	EINECS	Chemical name	Concentration	Classification
1305-62-0	238-878-4	Lime	0,1-10%	Xi, R37/38-41;R43 Kat 1 H318. Kat 2 H315
14808-60-7 65997-51-1	238-878-4 266-043-4	Quartz Portlandcement	10-60% 20-50%	DSD: Xi, R37/38-41 CLP:STOT SE 3; H335 Skin irrit. 2; H315 Eye dam. 1; H318

SECTION 4. FIRST AID MEASURES	
4.1. Description of first aid measures	
Inhalation:	Keep immobile. Seek fresh air. Administer oxygen or give artificial respiration, if needed. If symptoms persist, seek medical attention. Show these safety precautions to the doctor.
Skin contact:	If exposed, wash eyes or skin immediately using a copious amount of water for 15 minutes, and remove contaminated clothes and footwear. Seek medical attention if the irritation grows or persists. Show these safety precautions to the doctor.
Eye contact:	Rinse promptly with plenty of water, including under the eyelids, for at least 15 minutes. Remain under medical surveillance. Show these safety precautions to the doctor.
Ingestion:	Do not induce vomiting. Drink water. Call a doctor immediately.
4.2. Most important symptoms and effects, both acute and delayed	
Causes serious eye damage. Causes skin irritation. May cause respiratory irritation.	
4.3 Indication of any immediate medical attention and special treatment needed	
IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Show these safety precautions to the doctor.	

SECTION 2. HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	
See Section 16 for full text of the R-phrases.	
DPD:	Xi; R37/38-41
CLP:	Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335
The effect may cause redness and stinging of the eyes and lacrimation, itching in the nose and throat, and coughing. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes, skin and mucous membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection.	
2.2. Label elements	
Hazard pictograms:	
Signal word:	Caution

SECTION 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
5.2. Specific hazards arising from the substance or mixture	
The product is not flammable. Cooling water that has come into contact with the product could be corrosive.	
5.3. Advice for firefighters	
Use self-contained breathing apparatus and safety shoes.	

MATERIAL SAFETY DATA SHEET

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance) appropriately labelled according to EC Regulation No 1272/2008 (CLP).

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. See Section 8.

6.2. Environmental precautions

Do not empty into drains connected to surface water or sanitary sewers. Immediately inform competent authorities if the product has reached natural bodies of water.

6.3. Methods and material for containment and cleaning up

Sweep up and place in a proper container for disposal. Use an appropriate vacuum cleaner. Dispose of according to applicable legislation.

6.4. Reference to other sections

Data not available.

SECTION 7. HANDLING AND STORING

7.1. Precautions for safe handling

Wear personal protective equipment. Handle in accordance with good occupational hygiene and safety practice. Wash face and hands before breaks and immediately after handling the product. Provide adequate ventilation. Avoid contact of the substance with the skin, eyes, and clothing. Do not inhale dust.

7.2. Conditions for safe storage, including any incompatibilities

Store well-closed in a dry, cool and well-ventilated place. Use open packages as quickly as possible.

7.3. Specific end use(s):

Data not available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

CAS no.	Chemical name	Exposure limit	Anm	Ref
14808-60-7	Quartz, inhalable	0,1 mg/m ³	K	AT
14808-60-7	Total quartz	0,3 mg/m ³	–	AT
–	Mineral dust, inert, inhalable	5 mg/m ³	–	AT
–	Mineral dust, inert	10 mg/m ³	–	AT

8.2. Control parameters

Appropriate engineering controls: Handle in accordance with good occupational hygiene and safety practice. Provide adequate ventilation. Avoid exceeding exposure limits (see Section 8).

Personal protection measures

Respiratory protection: Use suitable respiratory protective device in the case of insufficient ventilation. Respirators that are permeable to dust are depreciated. Respirator equipped with a particle filter (EN 143) (P2).

Hand protection: Protective gloves, rubber gloves (EN 374), nitrile rubber.

Eye/face protection: Safety goggles with face protection in accordance with EN 166.

Skin protection: Personal protection equipment to be used: appropriate protective gloves, safety goggles and protective clothing (EN 340).

Environmental exposure controls: Data not available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Powder
 pH:
 Relative density:
 Solubility: Water-soluble

9.2. Other information

Data not available.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions. Keep in a dry place.

10.3. Possibility of hazardous reactions

Data not available.

10.4. Conditions to avoid

Keep packaged product away from moisture.

10.5. Incompatible materials

Reacts violently with acids. Wet mortar may react with aluminium powder and alkaline-earth metals, producing hydrogen.

10.6. Hazardous decomposition products

Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Dust from the product may irritate the respiratory tract and cause itching in the throat, respiratory involvement, chest pain and cough.

Skin contact: Dust from the product may irritate the skin. May cause burns on the skin and mucous membranes.

Eye contact: Dust from the product may cause redness and stinging of the eyes and lacrimation. May cause permanent damage to the eyes.

Ingestion: Ingestion may cause serious irritation in the mouth, oesophagus and gastrointestinal tract.

Long-term effects: Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

The product is not considered to be dangerous to the environment.

12.2. Persistence and degradability

Methods for the determination of the biodegradability cannot be applied to inorganic substances. Data regarding chemical degradation are not available.

12.3. Bioaccumulative potential

Avoid release of the product into the environment.

12.4. Mobility in soil

Do not empty residue into drains.

12.5. Results of PBT and vPvB assessment

Not relevant

12.6. Other adverse effects

Data not available.

SECTION 13. WASTE DISPOSAL

13.1. Waste treatment methods

Dispose of waste in an appropriate waste disposal facility.

Waste code:	
170903	Other construction and demolition waste (including mixed waste) containing hazardous substances
170904	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

Not classified as hazardous substance in accordance with regulatory rules regarding transportation.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packaging group

–

14.5. Environmental hazards –

14.6. Special precautions for user

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not regulated

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

MATERIAL SAFETY DATA SHEET

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance) appropriately labelled according to EC Regulation No 1272/2008 (CLP).

Regulation (EC) No 1272/2008 (CLP)
Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
Labelling according to Regulation (EC) No 1272/2008 cf. section 2
Directiva 2012/18/UE
Named dangerous substances - ANNEX I No ingredient is listed.
REGULATION (EC) No 1907/2006 ANNEX XVII
Directive 2012/18/UE
Named Dangerous Substances - ANNEX I No ingredient listed
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

SECTION 16. OTHER INFORMATION

Users must have received instructions on performing the work and be familiar with the content of these safety requirements.

16.1 Attachments, deleted information, amendments

11.09.2013 Version: 1.0

16.2 Key or legend to abbreviations and acronyms used in the safety data sheet

REACH According to Regulation No. 1907/2006 of the European Union
CLP REGULATION (EC) No 1272/2008
DSD Classified and labelled according to Directive 67/548/EEC.

16.3 Literature references and sources of information

Regulation (EC) No. 1272/2008, manufacturer's safety data sheet: Cement based building products

16.4 Classification procedure

Article 9(4), REGULATION (EC) No. 1272/2008

16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements

R37/38 Irritating to respiratory system and skin.
R41 Risk of serious damage to eyes.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

16.6 Additional information:

Uninaks AS