

MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

SECTION 1. IDENTIFIC COMPANY/UNDERTAK	CATION OF THE SUBSTANCE/MIXTURE AND OF THE	P102 P261	
1.1 Product identifier Trade name		P280	
		P301/310	
	Naks-3 Quick set concrete NAKS KB	P305/351/338	
		2.3. Other haza PBT/vPvB	rds
		SECTION 3. C	OMPOS
		3.2. Mixtures The product con contains chromi packages within	um(VI) tha
		Hazardous ing	edients
		CAS	EINECS
Product type: cement- lime based construction		1305-62-0	238-878-4
material	ses of the substance or mixture and uses advised against	65997-51-1	238-878-4 266-043-4 266-16-2
Recommended use:	construction		
1.3. Details of the supplie		SECTION 4. F	IDET AU
Manufacturer:	Uninaks AS 1 Valuste Street	SECTION 4. P	INGT AI
	90303 Lihula	4.1. Description	n of first a
	Telephone: +372 656 5744 Fax: +372 656 5744	Inhalation:	Keep im
E-mail:	uninaks@uninaks.ee	initialation.	respirati these sa
Date: 1.4. Emergency telephone	01.02.2024 Version: 1.1	Skin contact:	If exposition for 15 m medical precauti
Telephone number, name and address:	Poisoning Information Centre (http://www.16662.ee) Tel: 16662. Available for calling 24 hours a day from 09:00 AM on Monday till 09:00 AM on Saturday for general public and health care professionals.	Eye contact:	Rinse pr 15 minu precauti
	The centre is closed on weekends. For calls from abroad: +372 79 43 794.	Ingestion:	Do not i
		4.2. Most impo Causes serious	
SECTION 2. HAZARDS	IDENTIFICATION	4.3 Indication of	f any imm
2.1. Classification of the s	substance or mixture	IF SWALLOWE IF IN EYES: Rin present and eas	D: Immedia se cautiou
See Section 16 for full text	of the R-phrases.		
DPD: CLP:	Xi; R37/38-41 Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335		
and throat, and coughing. E	ess and stinging of the eyes and lacrimation, itching in the nose Dust from the product may irritate eyes, skin and respiratory tract. age to the eyes. Dangerous when moist: the product causes	SECTION 5. F	IREFIGH
burns to the eyes, skin and may bring about the danger	mucous membranes. Prolonged inhalation of the dust particles	5.1. Extinguish Use a water spr	•
2.2. Label elements Hazard pictograms:	\wedge \wedge		
		5.2. Specific ha The product is n be corrosive.	
Signal word:	Caution	5.3. Advice for Use self-contair	-
Hazard statements			
H315 H318	Causes skin irritation. Causes serious eye damage.	SECTION 6. A	
H335	May cause respiratory irritation.	6.1. Personal p	
Precautionary statements		o.i. Personal p	ecaution

Keep out of reach of children. Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. Not relevant

ITION/INFORMATION ON INGREDIENTS

ent and quartz sand (inhalable quartz < 0.1%). The product tremains below the permitted limit of 2 mg/kg in unopened s.

CAS	EINECS	Chemical name	Concentration	Classification
1305-62-0	238-878-4	Lime	0,1-10%	Xi, R37/38-41;R43 Kat 1 H318. Kat 2 H315
14808-60-7 65997-51-1 65667-16-2	238-878-4 266-043-4 266-16-2	Quartz Portlandcement Alumina tcement	10-60% 20-50% 10-30%	DSD: Xi. R37/38-41 CLP:STOT SE 3; H335 Skin irrit. 2; H315 Eye dam. 1; H318

SECTION 4. FIRST AID MEASURES		
4.1. Description of first aid measures		
Inhalation:	Keep immobile. Seek fresh air. Administer oxygen or give artificial respiration, if needed. If symptoms persist, seek medical attention. Show these safety precautions to the doctor.	
Skin contact:	If exposed, wash eyes or skin immediately using a copious amount of water for 15 minutes, and remove contaminated clothes and footwear. Seek medical attention if the irritation grows or persists. Show these safety precautions to the doctor.	
Eye contact:	Rinse promptly with plenty of water, including under the eyelids, for at least 15 minutes. Remain under medical surveillance. Show these safety precautions to the doctor.	
Ingestion:	Do not induce vomiting. Drink water. Call a doctor immediately.	
4.2. Most important symptoms and effects, both acute and delayed Causes serious eye damage. Causes skin irritation. May cause respiratory irritation.		
4.3 Indication of any immediate medical attention and special treatment needed IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Show these safety precautions to the doctor.		

TING MEASURES

I-resistant foam, dry chemical or carbon dioxide.

sing from the substance or mixture

ble. Cooling water that has come into contact with the product could

rs

ing apparatus and safety shoes.

TAL RELEASE MEASURES

s, protective equipment and emergency procedures



MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

	Classified and labelled in accordance	
Wear personal protective ed clothing. Provide adequate	uipment. Avoid contact of the substance with the skin, eyes, and ventilation. See Section 8.	
	itions nnected to surface water or sanitary sewers. Immediately inform product has reached natural bodies of water.	
	for containment and cleaning up oper container for disposal. Use an appropriate vacuum cleaner. licable legislation.	
6.4. Reference to other se Data not available.	ctions	
SECTION 7. HANDLING	AND STORING	
hygiene and safety practice handling the product. Provid the skin, eyes, and clothing.	quipment. Handle in accordance with good occupational . Wash face and hands before breaks and immediately after de adequate ventilation. Avoid contact of the substance with	
	ool and well-ventilated place. Use open packages as quickly	
7.3. Specific end use(s): Data not available.		
SECTION 8. EXPOSUR	E CONTROLS/PERSONAL PROTECTION	
8.1. Control parameters Exposure limits CAS no. Chemical name 14808-60-7 Quartz, inhalable 14808-60-7 Total quartz - Mineral dust, ine - Mineral dust, ine	e 0,1 mg/m³ K AT 0,3 mg/m³ – AT ert, inhalable 5 mg/m³ – AT	
8.2. Control parameters Appropriate engineering controls	Handle in accordance with good occupational hygiene and safety practice. Provide adequate ventilation. Avoid exceeding exposure limits (see Section 8).	
Personal protection measures		
Respiratory protection	Use suitable respiratory protective device in the case of insufficient ventilation. Respirators that are permeable to dust are depreciated. Respirator equipped with a particle filter (EN 143) (P2).	
Hand protection	Protective gloves, rubber gloves (EN 374), nitrile rubber.	
Eye/face protection	Safety goggles with face protection in accordance with EN 166.	
Skin protection	Personal protection equipment to be used: appropriate protective gloves, safety goggles and protective clothing (EN 340).	
Environmental exposure controls	Data not available.	
SECTION 9. PHYSICAL	AND CHEMICAL PROPERTIES	
Appearance: pH:	physical and chemical properties Powder	
Relative density: Solubility:	Water-soluble	
9.2. Other information Data not available.		
SECTION 10. STABILIT	Y AND REACTIVITY	
10.1. Reactivity Stable under normal conditi	ons.	
10.2. Chemical stability Stable under normal conditi		
10.3. Possibility of hazard	ous reactions	

10.3. Possibility of hazardous reactions Data not available.

10.4. Conditions to avoid Keep packaged product away from moisture.

-		
10.5. Incompatible materials Reacts violently with acids. Wet mortar may react with aluminium powder and alkaline- earth metals, producing hydrogen.		
10.6. Hazardous dec Stable under normal of	composition products conditions.	
SECTION 11. TOX	ICOLOGICAL INFORMATION	
11.1. Information on Inhalation:	toxicological effects Dust from the product may irritate the respiratory tract and cause itching in the throat, respiratory involvement, chest pain and cough.	
Skin contact:	Dust from the product may irritate the skin. May cause burns on the skin and mucous membranes.	
Eye contact:	Dust from the product may cause redness and stinging of the eyes and lacrimation. May cause permanent damage to the eyes.	
Ingestion:	Ingestion may cause serious irritation in the mouth, oesophagus and gastrointestinal tract.	
Long-term effects:	Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection.	
SECTION 12. ECO	LOGICAL INFORMATION	
•	nsidered to be dangerous to the environment.	
12.2. Persistence and degradability Methods for the determination of the biodegradability cannot be applied to inorganic substances. Data regarding chemical degradation are not available.		
12.3. Bioaccumulative potential Avoid release of the product into the environment.		
12.4. Mobility in soil Do not empty residue		
12.5. Results of PBT and vPvB assessment Not relevant		
12.6. Other adverse effects Data not available.		
SECTION 13. WAS	STE DISPOSAL	
13.1. Waste treatmen Dispose of waste in a Waste code: 170903	nt methods n appropriate waste disposal facility. Other construction and demolition waste (including mixed	
	waste) containing hazardous substances	
170904	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	

SECTION 14. TRANSPORT INFORMATION

- **14.1. UN number** Not classified as hazardous substance in accordance with regulatory rules regarding transportation.
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packaging group
- 14.5. Environmental hazards -
- 14.6. Special precautions for user

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not regulated

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Data not available.

15.2. Chemical safety assessment Data not available.



MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

SECTION 16. OTHER INFORMATION	
content of th	have received instructions on performing the work and be familiar with the ese safety requirements. ments, deleted information, amendments Version: 1.0
16.2 Key or REACH CLP DSD	legend to abbreviations and acronyms used in the safety data sheet According to Regulation No. 1907/2006 of the European Union REGULATION (EC) No 1272/2008 Classified and labelled according to Directive 67/548/EEC.
	ure references and sources of information EC) No. 1272/2008, manufacturer's safety data sheet: Cement based ducts
	ication procedure REGULATION (EC) No. 1272/2008
16.5 List of	relevant R phrases, hazard statements, safety phrases and/or
	ary statements
R37/38	Irritating to respiratory system and skin.
R41 H315	Risk of serious damage to eyes. Causes skin irritation
H318	Causes skill initiation. Causes serious eye damage.
H335	May cause respiratory irritation.
16.6	Additional information: Uninaks AS