

MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

Characterization PSUSIDIO	SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE			P280		Wear protective gloves/protective clothing/eye protection/face		
The second of the second seco	COMPANY/UNDERTAKING			P301/310		protection.		
UNREPORTY MAKE LIC P003051303 If IF LPCE. Rive calculation which are seen introde. Reclamation of the second intervence in the second intervence intervence in the second intervence in	1.1 Product identifier Trade name		, r	-301/310		IF SWALLOWED.		ISON CENTER/docior.
LUBRISCONY MARS LIC LUBRISCONY MARS LIC Product LUBRISCONY MARS LIC LUBRISCONY MARS LIC	Trade name		F	P305/351/338				
$ \begin{array}{llllllllllllllllllllllllllllllllllll$						contact lenses, if	present and easy to do	. Continue rinsing.
Product gree control Product gree control Product gree	LUBIKROHV NAKS LK1							
Product yee: control hand or Product yee: control hand or yee: control hand yee: control ha			2	2.3. Other haz	ards			
Andread space cancel J. Section 16 controls Description of first aid measures Andread space cancel Controls Controls <td></td> <td></td> <td>F</td> <td>PBT/vPvB</td> <td></td> <td>Not relevant</td> <td></td> <td></td>			F	PBT/vPvB		Not relevant		
Andread space cancel J. Section 16 controls Description of first aid measures Andread space cancel Controls Controls <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>								
Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture adviced or mixture				SECTION 3.	COMPOSI	ION/INFORMA	TION ON INGREDIE	IN 15
Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture adviced or mixture								
Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Product type: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against 1. Details of the substance or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture and uses adviced against Recommended use: conner-based or mixture adviced or mixture				3.2 Mixtures				
Product spin emerimized Product spin emerimized 12. Relevant identified uses of he substance or mixture and uses advised against minorial 13. Relevant identified uses of he substance or mixture and uses advised against mixture in the substance or mixture and uses advised against 12. Relevant identified uses (State Street 12. Relevant identified uses) 13. Relevant identified uses (State Street 12. Relevant identified uses) 14. Description of the substance or mixture and uses advised against 12. Relevant identified uses) 13. Dealed of the substance or mixture and uses advised against 12. Relevant identified uses) 14. Description of the substance or mixture advised uses 12. Variable Windowskie 13. Dealed of the substance or mixture advised uses 12. Variable Windowskie 12. State Street 12. State Street 13. State Stree			1	The product co				
Product ype: control-based outside of the substance or instruct and uses advised against metric identified uses of the substance or instruct and uses advised against identified uses of the substance or instruct and uses advised against identified uses of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses advised against identified uses in organization of the substance or instruct and uses in the substance or instruct an						remains below the	permitted limit of 2 mg	/kg in unopened
Product type: entering matching Construction Construction Construction 12. Reterement thematified uses of the substance or mixture and uses advised against the substance or mixture and uses advised of gainst platford for gainst platford								
name name name Note: construction 1.2. Relevant identified uses of the substance or miniture and uses advised against Note: construction Section 0 4 a. FIRST AD MASSURES Localis of the substance or miniture and uses advised against Section 0 4. FIRST AD MASSURES Section 0 4. FIRST AD MASSURES Localis of the substance or miniture and uses advised against Section 0 4. FIRST AD MASSURES Localis of the substance or miniture and uses advised against Localis of the substance or miniture and uses advised against Localis of the substance or miniture add section advised in the substance or miniture add section traveladd in the substance or miniture add section traveladd in			ſ	nazardous ing	realents			
Particle type conversions 12. Reducts the control conversions 12. Reducts the control conversions 12. Reducts the control conversions 13. Reducts the control conversions 13. Reducts the control conversions 13. Reducts the control conversions 14. Reducts the contredon conversions				CAS	EINECS		Concentration	Classification
Interval1.1. Relevant identified uses of the substance or mixture and uses advised against1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended use:constant value1.3. Details of the substance or mixture and uses advised against1.4. Relevant identified uses of the substance or mixture and uses advised against1.5. Relevant identified uses of the substance or mixture and uses advised against1.5. Relevant identified uses of the substance or mixture and uses advised against1.5. Relevant identified uses of the substance or mixture and uses advised against1.5. Relevant identified uses of the substance or mixture and uses advised against1.5. Relevant identified uses of the substance or mixture1.5. Relevant identified uses of the substance or mixture2.5. Relevant identified uses of the substance or mixture2.6. Relevant identified uses of the substance or mixture2.7. Relevant identified uses of the substance or mixture2.8. Relevant identified uses of the substance or mixture2.7. Relevant identified uses of the substance or mixture2.7. Relevant identified u						name		
Table 2 Join 2010	Product type: cement-							
12. Retevant identified uses of the substance or mixture and uses advised against Call 1998. Call 2014 Recommended use: construction 13. Details of the subplier of the airdy data baset Minutesture: Manufacture: Ummake AS 1 Value Breen 500303 Lhuis Telephone: 472 258 55744 Frant: ummake Jobit Strephone Date: 01.02.20 Version: 1.1 Left Exponent under maching Build Build and Build	material				238-878-4	Quartz	65%	
1.2. Neveral definited uses in the substance of mixture and dates advised against Recommended use: Constrained advises 13. Details of the subplier of the safety data sheet Manufacture: Ummak AS 1. Importor: 1.9. Sector MA 1. Importor: 1.9. Sector				1305-62-0	215-137-3	Lime	30%	
 12. Details of the suppler of the subject of the subj	1.2. Relevant identified us	es of the substance or mixture and uses advised against						·
 12. Details of the suppler of the subject of the subj								
 12. Details of the suppler of the subject of the subj	Recommended use:	construction	_					
Manufacture: Unitable AS 1 Values Store 90303 Lhula 1 Values Store 90303 Lhula Telephone number Fax: 4372 666 5744 E-rail: unitable Quintable Qu				SECTION 4.	FIRST AID	MEASURES		
 I Values Street 41. Description of first allows Tedphone: +372 665 7544 Frank1: 41. Description of first allows Dite: 01.02.20 Version: 1.1 Lematic 41.022,20 Version: 1.1 Lematic 41.022,20 Version: 1.1 Lematic version: 2.1 Lematic Version: 2.1 Lematic Version: 2.1 Lematic	1.3. Details of the supplier	of the safety data sheet						
Inhala Cale Street 9003 Linking 1003 Linking 1004 Linking 1014 Linking <tr< th=""><th>Manufacturer:</th><th></th><th>4</th><th>4.1. Descriptio</th><th>on of first aid</th><th>l measures</th><th></th><th></th></tr<>	Manufacturer:		4	4.1. Descriptio	on of first aid	l measures		
Tableborne - 472 EGB 574 Frait - Administer oxygen or give artificial respiratory. Tradeal distingtion or give artificial respiratory respiratory. Tradeal distingtion or give artificial respiratory respiratory respiratory. Tradeal distingtion or give artificial respiratory respiratory respiratory. Tradeal distingtion or give artificial disterox distingtion. Assue respiratory respirator								
E-mail: uninaka: Bunnaka: ee E-mail: uninaka: Bunnaka: ee Date: 0.10.2.20 Version: 1.1 1.4. Energency telephone number Skin contact: Telephone number Poilosing Information Centre (http://www.16662.ee) Tate: 17: 10562. Available for calling 24 hours a day from 09:00 AVA Telephone number Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 10562. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 1057. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 1057. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 1057. Available for calling 24 hours a day from 09:00 AVA Version: Tel: 1057. Tel: 10562. Availabl			1	Inhalation:				
E-mail: uninaks@uninaks.ee Date: 01.02.20 Version: 1.1 La. Energency telephone number. To bisoning information Centre (http://www.16662.ee) Skin contact: If doposed, wash eyes or skin immediately using a copious amount of water for 15 minutes, and tennove contarminated domes and tookea. Seek, we precautions to the doctor. Telephone number. To bisoning information Centre (http://www.16662.ee) Eye contact: Rnse promptly with pleny of water, including under the eyelds, for at least 15 minutes, Remain under medical survellance. Show these safety precautions to the doctor. Strict To 1. ALARARD SupertrictCATION Strict To 1. ALARARD SupertrictCATION Eye contact: No and spice and the substance or mixture See Section 16 for full text of the R-phrases. PDP: Xi: R37/394-143 Causes serious eyed amag. Show these safety precautions to the doctor. See Section 16 for full text of the R-phrases. PDP: Xi: R37/394-143 Strict To 1. Kir Strict To 1. Kir Strict To 1. Kir Strict To 1. Kir Strict To 2. Keep. Date To 1. Kir Strict To 2. Keep. Date To 1. Kir Strict To 2. Keep. Date To 2. Kee		•						edical attention. Show
Date: 01.02.00 Version: 1.1 1.4. Emergency telephone number The control is function of the initiation of the ininitiation of the ininitiation of the inini	E-mail:	uninaks@uninaks.ee		01.5				
User: 01.02.20 Version: 1.1 14. Emergency telephone number Feisoning Information Centre (http://www.16662.ee) Traine and address: Policoning Information Centre (http://www.16662.ee) The rentre is closed on weekonds. For calls from abroad: Policoning Information Centre (http://www.16662.ee) The rentre is closed on weekonds. For calls from abroad:				Skin contact:				
1.4. Energency telephone number The chargency telephone number Rine promotive with plany of water, including under the eyelids, for at least in farmanes. Remain under medical structure and eddress: The centre is closed on weekends. For calls from abroad: +372 79 43 794 SECTION 2. HAZARDS IDENTIFICATION 21. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPC DPC Xis Initia. Z; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The determines Hazard statements Hazard pictograms: Exercise skin initiation. S2.1 Label elements Hazard statements Hazard pictograms: Exercise services services services and singing of the eyes and actimation, taching in the nonse and thread and registrory traffication of the substance or mixture Sacard pictograms: Exercise Section 16 for full text of the R-phrases. DPC: Xis Initia. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The determines Hazard statements Hazard pictograms: Exercise Section 16 for full text of the gram methance. Product is and esergistory traffication. Kiss Initia. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 Section 4. Causes serious series and structors methance. Product is and task of the deager of pulmonary infection. S1.1 Extinguishing media Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	Date:	01.02.20 Version: 1.1					tion grows or persists.	Show these safety
Taisphon number, name and address: Poissoning Information Centre (fttp://www 18662.au) 15 minutes. Remain under medical surveillance. Show these safety precaulions to the doctor. Is minutes. The infect A walked to reading 24 houses a day from 900 AM on Namoday ill 0300 AM on Saturday for general public and health care professionals. 16 minutes. Remain under medical surveillance. Show these safety precaulions to the doctor. SECTION 2. HAZARDS IDENTIFICATION 12 minutes. The infects, both acute and delayed Causes serious eye damage. Causes skin initiation. May cause respiratory irritation. 2.1. Classification of the substance or mixture See Section 16 for full text of the substance or mixture See Section 16 for full text of the system and lacrimation. Itching in the nose and mouch and outpring. Dust from the product may irritate eyes, skin and regristroty fract. May cause performent damage to the eyes. Skin and regristroty fract. May cause and mucous membranes. Prolonged inhalation of the dust particles must brand advection. 2.1. Label elements Exact statements Hazard statements Fact advection. Hazard statements Sauses skin initiation. Hazard statements Sauses skin initiation. Hazard statements Sauses skin initiation. Hazard statements Sause statemation damage. Hazard statements Sause statemation damage. Hazard statements Sauset for furingitates Hazard statem					precaulio			
If eliphone number, mannes and address: Producting information Lentre indigotown robot, eliphone address in the product is constant and the set of the s	• • •		E	Eye contact:				
 on Monday iii 09:00 AM on Safurday for general public and health care professionals. The centre is closed on weekends. For calls from abroad: 4:372 79:43 794 Ingestion: Do not induce vomiting. Drink water. Call a doctor immediately. 1: Causes is closed on weekends. For calls from abroad: 4:372 79:43 794 1: Causes is closed on weekends. For calls from abroad: 4:372 79:43 794 1: Causes is closed on weekends. For calls from abroad: 4:372 79:43 794 1: Causes is closed on weekends. For calls from abroad: 1: SWALLOWED. Immediately causes expiratory irritation. 1: Section 2. HAZARDS IDENTIFICATION 2: Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: X; R3738-41.43 CLP: X; R37								now mode safety
The densit Calls probes of thats: The contraits is closed on weekends. For calls from abroad: +372 79 43 794 4.2. Most important symptoms and effects, both acute and delayed Causes serious eye damage. Causes skin initiation. May cause respiratory irritation. Section 1. HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: X; R37/38-41.43 CLP: Skin Initi. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H336 The effect may cause redoughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat, and coughing. Dust from the product mixing in the nose and throat and changer of pulmonary infections. 2.1. Label elements Hazard statements H32 Causes skin initiation. H33 Causes skin initiation. H34 Causes serious eye damage. H35 May cause respiratory initi		on Monday till 09:00 AM on Saturday for general public and		Indestion:	Do not in	duce vomitina. Drij	nk water. Call a doctor i	immediately.
4.2. Maximporting and entering, both addinged Causes serious equipment symptotic and entering, both addinged Section 2. HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: X: R37/38-11.43 CIP: Skin first. 2: H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause references and stinging of the eyes and lacimation, liching in the nose and thota, and coupling. Dust from the product may initiate eyes, skin and respiratory initiation. Section 3. FireFightTing MEASURES Sums to the eyes, skin and respiratory initiation. Section 4. for full text of the R-phrases. DPD: X: R37/38-11.43 CIP: Skin first. 2: H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause permanent damage to the eyes. Dangerous when moist: the product causes burn instainos. Section 5. FireFightTing MEASURES Solutions the danger of pulmonary infection. Section 5. Causes skin initiation. Hazard pictograms: Signal word: Causes skin initiation. Hazard statements H33 Causes serious eye damage. H33 Causes skin initiation. Precautionary steternets Single word:				3		5		,
SECTION 2. HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: Xi; R37/38-41.43 CIP: Skin IIIIT.2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause redness and stinging of the eyes and lacrimation, itching in the nose and thoca, and coughing. Dust from the product may itritate eyes, skin and respiratory tract. May cause performs the angout the danger of pulmonary infection. 2.2. Label elements Hazard pictograms: V2.2. Label elements Hazard pictograms: Hazard statements H325 Causes skin initiation. H335 Causes skin initiation. Precautionary statements Stection 6. ACCIDENTAL RELEASE MEASURES H316 Causes skin initiation. H327 Keep out of reach of children.		+372 79 43 794	4	4.2. Most impo	ortant symp	oms and effects,	both acute and delay	red
Section 2. FAZARDS identified on the substance or mixture 2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: Xi; R3738-41.43 CLP: Skin Init. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause redness and stinging of the eyes and lacrimation, itching in the nose and thrat, and coughing. Dust from the product may infrate eyes, skin and respiratory tract. May cause perment drange for the eyes, skin and respiratory tract. May cause perment drange for the eyes and lacrimation of the dust particles was brinds burne the danger or pulmonary infrateour. 2.1. Label elements Section 5. FireFighting media Hazard statements Section 6. Accidential particles and safety shoes. Signal word: Causes skin irritation Hazard statements Section 6. Accidential partials and safety shoes. Hazard statements Section 6. Accidential partials and safety shoes. H335 Causes serious eye damage. H335 Key out of reach of children. Productionary statements Section 8. Accidential and energency procedures Wear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. P102 Keep out of reach of children.			(Causes serious	s eye damag	e. Causes skin irrit	ation. May cause respi	ratory irritation.
Section 2. FAZARDS identified on the substance or mixture 2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: Xi; R3738-41.43 CLP: Skin Init. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause redness and stinging of the eyes and lacrimation, itching in the nose and thrat, and coughing. Dust from the product may infrate eyes, skin and respiratory tract. May cause perment drange for the eyes, skin and respiratory tract. May cause perment drange for the eyes and lacrimation of the dust particles was brinds burne the danger or pulmonary infrateour. 2.1. Label elements Section 5. FireFighting media Hazard statements Section 6. Accidential particles and safety shoes. Signal word: Causes skin irritation Hazard statements Section 6. Accidential partials and safety shoes. Hazard statements Section 6. Accidential partials and safety shoes. H335 Causes serious eye damage. H335 Key out of reach of children. Productionary statements Section 8. Accidential and energency procedures Wear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. P102 Keep out of reach of children.								
2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: Xi: R37/38-41.43 CLP: Skin Irnit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause redness and stinging of the eyes and lacrimation, liching in the product causes burns to the eyes, skin and respiratory tract. May cause permanent damage to the eyes. Supagerous when moist: the product causes burns to the eyes, skin and respiratory tract. May cause permanent damage to the eyes. Supagerous when moist: the product causes burns to the eyes, skin and respiratory tract. May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Supagerous when moist: the product causes burns to the eyes. Causes stain initiation. Signal word: Causes skin initiation. H315 Causes skin initiation. H335 Causes senious eye damage. H335 May cause respiratory irritation. Precautionary statements Section 4. ACCIDENTAL RELEASE MEASURES F102 Keep out of reach of children. <	SECTION 2. HAZARDS	IDENTIFICATION						eatment needed
2.1. Classification of the substance or mixture See Section 16 for full text of the R-phrases. DPD: Xi: R37/38-41.43 CLP: Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause redness and stinging of the eyes and lacrimation, itching in the nose and throat, and couphing. Dust tom the product may irritate eyes, skin and muccus membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection. 2.2. Label elements Hazard pictograms: Signal word: Caution Hazard statements H315 Causes serious eye damage. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements Section 6 children. P102 Keep out of reach of children.			1	IF IN EYES: Ri	nse cautious	ly with water for se	everal minutes. Remove	
DPD: Xi; R37/38-41,43 CLP: Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause rechess and stinging of the eyes, and lacrimation, itching in the nose and throat, and coughing. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Skin and muccous membranes. Profouged inhalation of the dust particles may bring about the danger of pulmonary infection. 2.2. Label elements Leves, skin and muccous membranes. Profouged inhalation of the dust particles may bring about the danger of pulmonary infection. Signal word: Caution Hazard statements H315 Causes skin irritation. Section 6. ACCIDENTAL RELEASE MEASURES H318 Causes reprivatory irritation. H318 Causes reprivatory irritation. H325 May cause respiratory irritation. Precautionary statements H325 H325 Keep out of reach of children.	2.1. Classification of the s	ubstance or mixture	F	present and ea	sy to do. Col	ntinue rinsing. Sno	w these safety precauti	ions to the doctor.
DPD: Xi; R37/38-41,43 CLP: Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause rechess and stinging of the eyes, and lacrimation, itching in the nose and throat, and coughing. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Skin and muccous membranes. Profouged inhalation of the dust particles may bring about the danger of pulmonary infection. 2.2. Label elements Leves, skin and muccous membranes. Profouged inhalation of the dust particles may bring about the danger of pulmonary infection. Signal word: Caution Hazard statements H315 Causes skin irritation. Section 6. ACCIDENTAL RELEASE MEASURES H318 Causes reprivatory irritation. H318 Causes reprivatory irritation. H325 May cause respiratory irritation. Precautionary statements H325 H325 Keep out of reach of children.	See Section 16 for full text of	of the R-nhrases						
CLP: Skin Irrit. 2; H315 – Eye dam. 1; H318 – STOT SE 3; H335 The effect may cause reduess and stinging of the eyes and lacrimation, itching in the nose and throat, and coughing. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes, skin and muccous membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection. SECTION 5. FIREFIGHTING MEASURES 2.2. Label elements Lase a water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Bazard pictograms: Lase a water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Signal word: Caution Hazard statements Lase serious eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements Way cause respiratory irritation. Precautionary statements Provide adequate ventilation. See Section 8. P102 Keep out of reach of children.								
The effect may cause reduces and striging of the eyes and lacrimation, itching in the nose and throat, and coughing. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes, skin and mucous membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection. 5.1. Extinguishing media 2.2. Label elements Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Hazard pictograms: Signal word: Caution Hazard statements Causes skin irritation. H315 Causes skin irritation. H316 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements Precautionary irritation. P102 Keep out of reach of children.		,						
and throat, and coupling. Dust from the product may irritate eyes, skin and respiratory tract. May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes, skin and mucous membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection. 5.1. Extinguishing media 2.2. Label elements Image: Coupling infection. Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide. 2.2. Label elements Image: Coupling infection. 5.2. Specific hazards arising from the substance or mixture Hazard pictograms: Image: Coupling infection. 5.3. Advice for firefighters Signal word: Causes skin irritation. 5.3. Advice for firefighters Hazard statements Sauses serious eye damage. 5.1. Personal precautions, protective equipment and emergency procedures H335 May cause respiratory irritation. Section 8. Precautionary statements Frecautionary See out of reach of children. P102 Keep out of reach of children. Causes carion 8.				SECTION 5.	FIREFIGH	ING MEASURE	IS	
May cause permanent damage to the eyes. Dangerous when moist: the product causes burns to the eyes, skin and mucous membranes. Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection. Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide. 2.2. Label elements Fazard pictograms: Section 4000000000000000000000000000000000000								
may bring about the danger of pulmonary infection. 5.2. Specific hazards arising from the substance or mixture The product is not flammable. Cooling water that has come into contact with the product could be corrosive. Signal word: Caution Hazard statements 5.3. Advice for firefighters H315 Causes skin irritation. H315 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary Statements P102 Keep out of reach of children.			:	5.1. Extinguis	ning media			
2.2. Label elements Hazard pictograms: Visual pictograms: Signal word: Caution Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements P102 Keep out of reach of children.			ι	Use a water sp	ray, alcohol-	resistant foam, dry	chemical or carbon did	oxide.
Hazard pictograms: 	may bring about the danger							
The product is not flammable. Cooling water that has come into contact with the product could be corrosive. Signal word: Caution Hazard statements Use self-contained breathing apparatus and safety shoes. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements Encode adequate ventilation. See Section 8. P102 Keep out of reach of children.	2.2. Label elements	• •	5	5.2. Specific h	azards arisi	na from the subs	tance or mixture	
Signal word: Caution Hazard statements Use self-contained breathing apparatus and safety shoes. H315 Causes skin irritation. H316 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements Frecautionary F102 Keep out of reach of children.	Hazard pictograms:			•		-		act with the product could
Signal word: Caution Use self-contained breathing apparatus and safety shoes. Hazard statements H315 Causes skin irritation. H315 Causes serious eye damage. H336 Causes respiratory irritation. H335 May cause respiratory irritation. Precautionary statements Precautionary F102 Keep out of reach of children.			t	be corrosive.				
Signal word: Caution Use self-contained breathing apparatus and safety shoes. Hazard statements H315 Causes skin irritation. H315 Causes serious eye damage. H336 Causes respiratory irritation. H335 May cause respiratory irritation. Precautionary statements Precautionary F102 Keep out of reach of children.		\checkmark \checkmark		5.3 Advice for	firefighters			
Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements P102 Keep out of reach of children.	O mark was h	Oraction			-		afety shoes	
H315 Causes skin irritation. H315 Causes serious eye damage. H316 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary 6.1. Personal precautions, protective equipment and emergency procedures Vear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. See Section 8. P102 Keep out of reach of children.	Signal word:	Gauton	Ľ				y - 200	
H318 Causes serious eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements Wear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. See Section 8. P102 Keep out of reach of children.	Hazard statements		Γ.	CEOTION C				
H335 May cause respiratory irritation. Precautionary statements P102 Keep out of reach of children. H335 May cause respiratory irritation. B1. Personal precautions, protective equipment and emergency procedures Wear personal protective equipment. Avoid contact of the substance with the skin, eyes, and clothing. Provide adequate ventilation. See Section 8.	H315			SECTION 6.	ACCIDENT	AL KELEASE N	EASURES	
Precautionary statements P102 Keep out of reach of children.				6.1. Personal	recautions	protective equin	ment and emergency	procedures
Precautionary statements P102 Keep out of reach of children.		,,,						
P102 Keep out of reach of children.	Precautionary							
P261 Avoid breathing dust. 6.2. Environmental precautions	P102	Keep out of reach of children.						
	P261	Avoid breathing dust.	e	6.2. Environm	ental precau	tions		



MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

Do not empty into drains con	nected to surface water or sanitary sewers. Immediately inform	Stable under normal	conditions.			
competent authorities if the p	roduct has reached natural bodies of water.	SECTION 11. TO	XICOLOGICAL INFORMATION			
	for containment and cleaning up per container for disposal. Use an appropriate vacuum cleaner. icable lenislation	11.1. Information of Inhalation:	n toxicological effects Dust from the product may irritate the respiratory tract and cause itching in the throat, respiratory involvement, chest pain and cough.			
6.4. Reference to other sec	-	Skin contact:	Dust from the product may irritate the skin. May cause burns on the skin and mucous membranes.			
Data not available.		Eye contact:	Dust from the product may cause redness and stinging of the eyes and lacrimation. May cause permanent damage to the			
SECTION 7. HANDLING	AND STORING		eyes.			
	upment. Handle in accordance with good occupational	Ingestion:	Ingestion may cause serious irritation in the mouth, oesophagus and gastrointestinal tract.			
	Wash face and hands before breaks and immediately after a dequate ventilation. Avoid contact of the substance with Do not include duct	Long-term effects:	Prolonged inhalation of the dust particles may bring about the danger of pulmonary infection.			
-	prage, including any incompatibilities	SECTION 12. EC	OLOGICAL INFORMATION			
	ol and well-ventilated place. Use open packages as quickly	12.1. Toxicity The product is not co	onsidered to be dangerous to the environment.			
7.3. Specific end use(s): Data not available.		Methods for the dete	12.2. Persistence and degradability Methods for the determination of the biodegradability cannot be applied to inorganic			
SECTION 8. EXPOSURE	CONTROLS/PERSONAL PROTECTION	substances. Data regarding chen	nical degradation are not available.			
		12.3. Bioaccumulat Avoid release of the	tive potential product into the environment.			
8.1. Control parameters Exposure limits		12.4. Mobility in so Do not empty residu				
CAS no. Chemical name 14808-60-7 Quartz, inhalable 14808-60-7 Total quartz - Mineral dust, inert	0,3 mg/m ³ – AT	12.5. Results of PB Not relevant	12.5. Results of PBT and vPvB assessment Not relevant			
- Mineral dust, inert	t 10 mg/m³ – AT	12.6. Other adverse Data not available.	e effects			
3.2. Control parameters Appropriate engineering	Handle in accordance with good occupational hygiene					
controls	and safety practice. Provide adequate ventilation. Avoid exceeding exposure limits (see Section 8).	SECTION 13. WA	STE DISPOSAL			
Personal protection measures		13.1. Waste treatme				
Respiratory protection	Use suitable respiratory protective device in the case of	Waste code:	an appropriate waste disposal facility.			
	insufficient ventilation. Respirators that are permeable to dust are depreciated. Respirator equipped with a particle filter (EN 143) (P2).	170903 170904	Other construction and demolition waste (including mixed waste) containing hazardous substances Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03			
land protection	Protective gloves, rubber gloves (EN 374), nitrile rubber.					
Eye/face protection	Safety goggles with face protection in accordance with EN 166.	SECTION 14. TR	ANSPORT INFORMATION			
Skin protection	Personal protection equipment to be used: appropriate protective gloves, safety goggles and protective clothing (EN 340).	14.1. UN number Not classified as haz transportation.	zardous substance in accordance with regulatory rules regarding			
Environmental exposure	Data not available.	14.2. UN proper shipping name				
controls		14.3. Transport haz	zard class(es)			
SECTION 9. PHYSICAL	AND CHEMICAL PROPERTIES	14.4. Packaging gro	oup			
.1. Information on basic pl appearance:	hysical and chemical properties Powder	14.5. Environmenta	al hazards –			
Relative density:		14.6. Special preca	utions for user			
Solubility: Water-soluble		Not regulated	Not regulated			
0.2. Other information Data not available.		14.7. Transport in the Not regulated	oulk according to Annex II of MARPOL 73/78 and the IBC Code			
SECTION 10. STABILITY						
		SECTION 15. RE	GULATORY INFORMATION			
0.1. Reactivity Stable under normal condition	ns.	15.1. Safety, health substance or mixtu	and environmental regulations/legislation specific for the re			
0.2. Chemical stability Stable under normal condition	ns. Keep in a dry place.	Data not available. 15.2. Chemical safe				
10.3. Possibility of hazardo Data not available.	us reactions	Data not available.	sty assessing it.			
10.4. Conditions to avoid Keep packaged product away	y from moisture.	SECTION 16. OT	HER INFORMATION			
10.5. Incompatible material Reacts violently with acids. W earth metals, producing hydro	Vet mortar may react with aluminium powder and alkaline-	content of these safe 16.1 Attachments,	deleted information, amendments			
10.6. Hazardous decompos	sition products	11.09.2013	Version: 1.0			



MATERIAL SAFETY DATA SHEET

In accordance with the EC REACH Regulation No. 1907/2006 and No. 453/2010 Classified and labelled in accordance with EC regulation No. 1272/2008 (CLP).

16.2 Key o REACH CLP DSD	y or legend to abbreviations and acronyms used in the safety data sheet According to Regulation No. 1907/2006 of the European Union REGULATION (EC) No 1272/2008 Classified and labelled according to Directive 67/548/EEC.				
16.3 Literature references and sources of information Regulation (EC) No. 1272/2008, manufacturer's safety data sheet: Cement based building products					
16.4 Classification procedure Article 9(4), REGULATION (EC) No. 1272/2008					
	f relevant R phrases, hazard statements, safety phrases and/or ary statements				
R37/38	Irritating to respiratory system and skin.				
R41	Risk of serious damage to eyes.				
H315	Causes skin irritation.				
H318	Causes serious eye damage.				
H335	May cause respiratory irritation.				
16.6	Additional information: Uninaks AS				